e-nventory® shelf for 4 x 20kg containers
(flat version)

Technical Data

1. Technical specifications		Length	996 mm	**3. Standards**	
Number of containers	4	Width	396 mm	Relative Air Humidity	≤98% not condensing
Capacity	4 x 20 kg	Height	34 mm	Pollution degree	2
Overload Capacity	50%	Weight	9.1 kg	**4. Delivery Condition**	
Non-Linearity (typical)	0.3% f.s.	Indoor use		Ready to mount in standard shelf	
Repeatability (typical)	±2 g	**2. Interface**		Delivered on EUR-pallet, max. 30 pieces stacked per pallet	
Resolution	1 g	2 wire RS-485 serial bus			
Temperature drift (typical)	±1g/K	LOWA DIGI SENS protocol (serial half-duplex ASCII protocol, no collision control)			
Zero point drift (typical)	-0.25% f.s/year				
Power supply	12V DC ± 2V DC	Connector	RJ45 (8 pins)		
Power consumption	30 mA (360 mW)				
Functional temperature range	+5 to +40 °C				

Dimensional drawing







DIGI SENS Switzerland AG

Freiburgstrasse 65
CH – 3280 Murten
Switzerland

Tel. : +41 (0)26 672 98 76
Fax : +41 (0)26 672 98 79
sales@digisens.ch
www.digisens.ch